Electronic Design 1976 Annual Index of Articles

Circuits & Circuit Theory

Bidirectional pulse stretcher...ART, ED 22, p. 180

Blend a wideband PLL...ART, ED 14, p. 46

Build a voltage-controlled oscillator with only one TTL-inverter package ...IFD, ED 19, p. 126

CMOS analog switches can precisely control an op-amp gain...IFD, ED 10, p. 106

CMOS frequency-to-voltage converter is highly linear over wide frequency range...IFD, ED 13, p. 116

CMOS in chopper designs...ART, ED 4, p. 164

Cancel 60 Hz and other noise...ART, ED 20, p. 74

Carefully select analog interfaces to reduce expensive external circuitry ...NEWS, ED 13, p. 55

Circuit detects narrow spikes of either polarity, provides 150-ns output... IFD, ED 4, p. 176

Control a VCO's start and stop phases with a squelch input signal...IFD, ED 10, p. 108

Control an LP-filter's cutoff frequency ...ART, ED 21, p. 62

Current-controlled bandpass filter can be built with only one IC...IFD, ED 11, p. 96

Design flyback converters...ART, ED 26, p. 66

Design single-section delay equalizers ...ART, ED 19, p. 82

Design transistor oscillators...ART, ED 8, p. 98

Designers are looking closely at new monolithic DACs and ADCs... NEWS, ED 13, p. 28

Digital frequency doubler works to 100 kHz...IFD, ED 7, p. 94

FETs provide current limiting for protection against shorts...IFD, ED 12, p. 160

Get around op amp limitations... ART, ED 19, p. 104

High-frequency zero-crossing detector operates beyond 50 MHz...IFD, ED 7, p. 96

High-voltage pulse generator offers variable delay and only 3-ns jitter ...IFD, ED 9, p. 86

Department Key

ART	Technical Article
IFD	Ideas for Design
NEWS	News
PF	Product Feature
SR	Special Report

Hold noise down with JFETs...ART, ED 4, p. 147

Inexpensive triggered-sweep generator updates recurring-sweep scopes... IFD, ED 23, p. 72

Interface CMOS to TTL with diodes and save the cost of expensive buffers ...IFD, ED 23, p. 74

It could be the 'ideal' filter...ART, ED 4, p. 156

Linear supply rivals switchers in efficiency...PF, ED 4, p. 179

Logic circuit ensures definite break-before-make action for relay drive ...IFD, ED 16, p. 80

Need an adjustable crystal oscillator ...ART, ED 7, p. 88

Parallel-coupled microstrip-line...ART, ED 11, p. 78

Phase-locked-loop circuit multiplies frequencies by 2 to 256...IFD, ED 11, p. 94

Power ramp generator delivers an easily adjustable 1-A output...IFD, ED 5, p. 66

Power-supply regulator simplified with Norton op amps...IFD, ED 6, p. 106

Prevent emitter-follower oscillation... ART, ED 13, p. 110

Reduce the noise output...ART, ED 20, p. 82

Schmitt-trigger circuit controls firing angle of SCR or triac power systems ...IFD, ED 9, p. 84

Select mixer frequencies painlessly... ART, ED 8, p. 104

Self-adjusting trigger level featured in monostable photocell circuit...IFD, ED 13, p. 120

Simple regulator circuits provide tracking bipolar reference voltage... IFD, ED 14, p. 62

'Simplified' notch-filter design...ART, ED 23, p. 68

Slew-rate filtering...ART, ED 19, p. 110

Special-purpose pulse-width modulator produces an output of same polarity as input...IFD, ED 20, p. 100

Stable constant-voltage supply uses current source to establish reference...IFD, ED 24, p. 176

Staircase generator divides frequencies by large factors...IFD, ED 17, p. 102

The average efficiency...ART, ED 14, p. 52

Transconductance amplifiers ...ART, ED 19, p. 98

Transient-free pulsed acoustic sinusoids generated with phased-array speakers...IFD, ED 26, p. 78

Versatile CMOS circuit changes mode when bias and load are changed... IFD, ED 7, p. 92

Wideband rf amplifier offers best gain flatness...PF, ED 21, p. 87

Wiring for high-speed circuits...ART, ED 11, p. 84

Zero-crossover tone-burst circuit delivers integral number of sine waves...IFD, ED 25, p. 110

90-degree phase-difference networks are simply...ART, ED 19, p. 90

555 one-shot circuit features negative output with positive triggering... IFD, ED 17, p. 98

Communications, Microwaves & Lasers

AT&T system switches 150 calls per second...NEWS, ED 4, p. 37

Amplifier delivers flat output from 0.15 to 300 MHz...PF, ED 10, p. 138

Bell plans digital system to use occupied channels...NEWS, ED 16, p. 22

Cable TV firm installs first fiber-optic cable...NEWS, ED 16, p. 22

Circuit monitors blinking phone lights and provides soft but commanding tone...IFD, ED 22, p. 194

Consider low-cost lasers...ART, ED 2, p. 68

Electronic Design 1976 Annual Index of Articles

Circuits & Circuit Theory

Bidirectional pulse stretcher...ART, ED 22, p. 180

Blend a wideband PLL...ART, ED 14, p. 46

Build a voltage-controlled oscillator with only one TTL-inverter package ...IFD, ED 19, p. 126

CMOS analog switches can precisely control an op-amp gain...IFD, ED 10, p. 106

CMOS frequency-to-voltage converter is highly linear over wide frequency range...IFD, ED 13, p. 116

CMOS in chopper designs...ART, ED 4, p. 164

Cancel 60 Hz and other noise...ART, ED 20, p. 74

Carefully select analog interfaces to reduce expensive external circuitry ...NEWS, ED 13, p. 55

Circuit detects narrow spikes of either polarity, provides 150-ns output... IFD, ED 4, p. 176

Control a VCO's start and stop phases with a squelch input signal...IFD, ED 10, p. 108

Control an LP-filter's cutoff frequency ...ART, ED 21, p. 62

Current-controlled bandpass filter can be built with only one IC...IFD, ED 11, p. 96

Design flyback converters...ART, ED 26, p. 66

Design single-section delay equalizers ...ART, ED 19, p. 82

Design transistor oscillators...ART, ED 8, p. 98

Designers are looking closely at new monolithic DACs and ADCs... NEWS, ED 13, p. 28

Digital frequency doubler works to 100 kHz...IFD, ED 7, p. 94

FETs provide current limiting for protection against shorts...IFD, ED 12, p. 160

Get around op amp limitations... ART, ED 19, p. 104

High-frequency zero-crossing detector operates beyond 50 MHz...IFD, ED 7, p. 96

High-voltage pulse generator offers variable delay and only 3-ns jitter ...IFD, ED 9, p. 86

Department Key

ART	Technical Article
IFD	Ideas for Design
NEWS	News
PF	Product Feature
SR	Special Report

Hold noise down with JFETs...ART, ED 4, p. 147

Inexpensive triggered-sweep generator updates recurring-sweep scopes... IFD, ED 23, p. 72

Interface CMOS to TTL with diodes and save the cost of expensive buffers ...IFD, ED 23, p. 74

It could be the 'ideal' filter...ART, ED 4, p. 156

Linear supply rivals switchers in efficiency...PF, ED 4, p. 179

Logic circuit ensures definite break-before-make action for relay drive ...IFD, ED 16, p. 80

Need an adjustable crystal oscillator ...ART, ED 7, p. 88

Parallel-coupled microstrip-line...ART, ED 11, p. 78

Phase-locked-loop circuit multiplies frequencies by 2 to 256...IFD, ED 11, p. 94

Power ramp generator delivers an easily adjustable 1-A output...IFD, ED 5, p. 66

Power-supply regulator simplified with Norton op amps...IFD, ED 6, p. 106

Prevent emitter-follower oscillation... ART, ED 13, p. 110

Reduce the noise output...ART, ED 20, p. 82

Schmitt-trigger circuit controls firing angle of SCR or triac power systems ...IFD, ED 9, p. 84

Select mixer frequencies painlessly... ART, ED 8, p. 104

Self-adjusting trigger level featured in monostable photocell circuit...IFD, ED 13, p. 120

Simple regulator circuits provide tracking bipolar reference voltage... IFD, ED 14, p. 62

'Simplified' notch-filter design...ART, ED 23, p. 68

Slew-rate filtering...ART, ED 19, p. 110

Special-purpose pulse-width modulator produces an output of same polarity as input...IFD, ED 20, p. 100

Stable constant-voltage supply uses current source to establish reference...IFD, ED 24, p. 176

Staircase generator divides frequencies by large factors...IFD, ED 17, p. 102

The average efficiency...ART, ED 14, p. 52

Transconductance amplifiers ...ART, ED 19, p. 98

Transient-free pulsed acoustic sinusoids generated with phased-array speakers...IFD, ED 26, p. 78

Versatile CMOS circuit changes mode when bias and load are changed... IFD, ED 7, p. 92

Wideband rf amplifier offers best gain flatness...PF, ED 21, p. 87

Wiring for high-speed circuits...ART, ED 11, p. 84

Zero-crossover tone-burst circuit delivers integral number of sine waves...IFD, ED 25, p. 110

90-degree phase-difference networks are simply...ART, ED 19, p. 90

555 one-shot circuit features negative output with positive triggering... IFD, ED 17, p. 98

Communications, Microwaves & Lasers

AT&T system switches 150 calls per second...NEWS, ED 4, p. 37

Amplifier delivers flat output from 0.15 to 300 MHz...PF, ED 10, p. 138

Bell plans digital system to use occupied channels...NEWS, ED 16, p. 22

Cable TV firm installs first fiber-optic cable...NEWS, ED 16, p. 22

Circuit monitors blinking phone lights and provides soft but commanding tone...IFD, ED 22, p. 194

Consider low-cost lasers...ART, ED 2, p. 68

crystal-oven temperature accurately . . . IFD, ED 19, p. 124

Use optical fibers for long-range . . . ART, ED 8, p. 90

Harold Wheeler: An innovator in the world of communications . . . SR, ED 8, p. 80

X-ray-laser development put back on the beam . . . NEWS, ED 21, p. 20

μC-based switchboard helps cut phone bills . . . NEWS, ED 24, p. 21

Components

Age reference zeners to achieve stable long-term performance . . . IFD, ED 19, p. 120

Avoid failure of PC board components . . . ART, ED 21, p. 68

'Common' fuse has been redesigned . . . NEWS, ED 13, p. 24

Compact storage battery operates for 10,000 hrs . . . NEWS, ED 21, p. 20 20

Components conference will focus on new hybrid uses . . . NEWS, ED 6, p. 19

Connector mass terminates flat-conductor, flat cable . . . PF, ED 26, p. 89

Consider solid-state photodetectors . . . ART, ED 21, p. 52

Cost cuts in flat-keyboard encourage new applications . . . PF, ED 22, p. 208

Digital circuit detects frequency-modulated signals . . . IFD, ED 8, p. 126

Digital high/low-pass filter features voltage-adjustable cut-off points . . . IFD, ED 8, p. 124

FOCUS on crystals for frequency control . . . SR, ED 14, p. 40

FOCUS on diodes and rectifiers . . . SR, ED 5, p. 40

FOCUS on keyboards . . . SR, ED 22, p. 122

FOCUS on rf connectors . . . SR, ED 11, p. 60

FOCUS on solid-state relays . . . SR, ED 26, p. 48

Gate-turn-off SCRs . . . ART, ED 26, p. 60

High efficiency achieved with organic photocells . . . NEWS, ED 20, p. 22

Improve inductor design accuracy . . . ART, ED 3, p. 58

Mini-Pak: A successor to the conventional DIP . . . NEWS, ED 11, p. 21

Multiturn glass trimmer caps offer good specs at low cost . . . PF, ED 5, p. 87

New process advances uniformity of thermistor . . . NEWS, ED 15, p. 22

Optical transistor doubles as amplifier or switch . . . NEWS, ED 25, p. 21

PLA: a 'different kind' of ROM . . . ART, ED 1, p. 78

Programmable divide-by-n counter provides symmetrical outputs for all divisors . . . IFD, ED 2, p. 82

Quartz-crystal timing accuracy . . . ART, ED 2, p. 74

Desert laser system detects earth tremors . . . NEWS, ED 2, p. 22

Extending man's voice by wire and radio . . . SR, ED 4, p. 78

FCC swamped with complaints as sources of RFI/EMI increase . . . NEWS, ED 20, p. 24

Fiber-optic telephone link to be field tested . . . NEWS, ED 1, p. 21

FOCUS on passive microwave components . . . SR, ED 2, p. 58

GM laser crystals make better pollution monitors . . . NEWS, ED 19, p. 21

Give priority to first phone lifted in parallel-connected phone systems . . . IFD, ED 18, p. 110

I-f/rf building blocks now in hybrid form . . . PF, ED 1, p. 160

Improvements continue in digital and analog communications devices . . . SR, ED 8, p. 50

Innovations abound in amateur radio equipment and techniques . . . SR, ED 10, p. 72

Japan's 2-way CATV uses fiber optic cables . . . NEWS, ED 23, p. 15

Largest graphite-epoxy antennas set for Mariner . . . NEWS, ED 12, p. 46

Microprocessors help to communicate by voice and bit stream . . . SR, ED 8, p. 58

Microwave receiver gets better images at 90 GHz . . . NEWS, ED 3, p. 13

More nations scheduled to receive own domestic satellite systems . . . SR, ED 18, p. 51

Optical modulator developed for high-power IR lasers . . . NEWS, ED 25, p. 36

Powerful laser will be used in space test . . . NEWS, ED 5, p. 16

Preselector/mixer alignment circuit uses receiver's balanced mixer as a load . . . IFD, ED 20, p. 96

Programmable SAW delay line developed for data communications . . . NEWS, ED 25, p. 38

RCA's Satcom looks for new kinds of customers . . . NEWS, ED 1, p. 22

Race is on to convert 23-channel CBs to 40 . . . NEWS, ED 19, p. 22

'Recombination' laser readied for space use . . . NEWS, ED 26, p. 20

SAW devices go into commercial production . . . NEWS, ED 23, p. 15

Satellite antennas boost message capacity . . . NEWS, ED 12, p. 46

Satellite boosts marine communications . . . NEWS, ED 4, p. 38

Satellite-borne microwave sensors may improve weather forecasts . . . NEWS, ED 14, p. 22

Solar μwave repeater saves power and money . . . NEWS, ED 26, p. 19

Sonar transmit-receive switch is compatible with most logic levels . . . IFD, ED 4, p. 172

Spectrum squeeze eased by solid-state microwave oscillator advances . . . SR, ED 8, p. 74

Undersea communicator sharpens speech clarity . . . NEWS, ED 26, p. 19

Use an IC voltage reference to control

Subject Listing

Circuits & Circuit Theory
Communications, Microwaves & Lasers
Components
Computers & Data Processing
Consumer Electronics
Displays & Electro-Optics
General Industry
Industrial Electronics
Management
Materials & Packaging
Medical Electronics
Microprocessors
Military & Aerospace
Semiconductors
Test & Measuring

ANNUAL INDEX

SOT-23 packaged components . . . ART, ED 16, p. 66

Select more-reliable switches . . . ART, ED 13, p. 98

Simple hex VCOs constructed from CMOS inverter and Schmitt trigger . . . IFD, ED 3, p. 74

Solar cells power carts at nation's summer fete . . . NEWS, ED 17, p. 22

Solderless breadboards easily handle 600-mil DIPs . . . PF, ED 24, p. 221

Specify hybrid components properly . . . ART, ED 3, p. 52

Stronger battery powers electric car . . . NEWS, ED 20, p. 21

Super toroids with 'zero' external field made with regressive windings . . . IFD, ED 18, p. 110

The drive motor of a servo . . . ART, ED 15, p. 110

Thick-film resistors give precision tempco at low cost . . . PF, ED 9, p. 138

Underwater connectors mate with the power on . . . PF, ED 19, p. 170

While sodium-sulfur battery stores 10 MWh . . . NEWS, ED 19, p. 21

Wideband autotransformers . . . ART, ED 3, p. 64

Computers & Data Processing

Accumulate and trap data in counters while their outputs remain constant . . . IFD, ED 11, p. 100

Advantages of CCDs and magnetic bubbles cited for main memories . . . SR, ED 12, p. 60

Airborne computer may cut consumption of fuel . . . NEWS, ED 6, p. 20

Bipolar controllers—they're fast, cheap and easy to use . . . SR, ED 22, p. 106

Build a PROM programmer . . . ART, ED 22, p. 172

CCD technology invades the digital domain . . . NEWS, ED 13, p. 24

CCDs beware: Here come the bubbles . . . NEWS, ED 21, p. 19

Calculator remembers—even when turned off . . . NEWS, ED 16, p. 21

Choosing among 4-k MOS RAMs . . . ART, ED 12, p. 138

Circuit detects incoming data to turn on teletypewriter . . . IFD, ED 8, p. 122

Computer microfilm standard proposed . . . NEWS, ED 3, p. 14

Computer net concept shown by Sperry Univac . . . NEWS, ED 25, p. 21

Computer sound effects generated with only four ICs . . . IFD, ED 14, p. 64

Computer updating is needed by domestic ATC system . . . NEWS, ED 12, p. 45

Computers on a board . . . SR, ED 12, p. 86

Convert keyboard or computer signals to serial pulses for automatic phone dialling . . . IFD, ED 5, p. 68

DEC introduces new mainframe computer . . . NEWS, ED 2, p. 22

Data General's μP-based mini extends its Nova line . . . NEWS, ED 7, p. 21

Data terminal features low-cost, programmable character set . . . PF, ED 10, p. 113

Digital encoder/decoders enhance audio system sound . . . PF, ED 19, p. 138

Digital plotter talks back to terminal . . . PF, ED 12, p. 163

Distinction between minis and micros continues to narrow . . . SR, ED 18, p. 46

Drive lines and discriminate pulses at 50-MHz data rates . . . PF, ED 7, p. 108

Dynamic RAMs reach 16-k density—and touch off a memory battle . . . NEWS, ED 7, p. 26

Expand a system's memory capacity without mounting hardware and board space . . . IFD, ED 21, p. 120

Fastest monolithic 10-bit a/d device has 200-ns conversion time . . . NEWS, ED 5, p. 20

Floppy-disc control & format circuit comes on single chip . . . PF, ED 19, p. 162

Floppy-disc recorder has more storage capacity . . . NEWS, ED 11, p. 22

FOCUS on data converters . . . SR, ED 19, p. 68

For sequential control, FPLAs . . . ART, ED 22, p. 164

Get on the IEC bus . . . ART, ED 24, p. 124

Go from flow chart to hardware . . . ART, ED 18, p. 90

HP adopts TI's 4-k, 18-pin RAM . . . NEWS, ED 10, p. 27

Hardware and software advances are spurred on by microprocessor invasion . . . SR, ED 12, p. 76

High-density RAM board has a good memory . . . NEWS, ED 24, p. 22

High-speed FFT chip set under development . . . NEWS, ED 17, p. 21

IEEE 488 bus plays a major role in programmable instrument systems . . . SR, ED 24, p. 76

Impedance converters buffer signals without loading . . . PF, ED 8, p. 131

Inexpensive digital storage media . . . ART, ED 25, p. 86

Interactive terminal prints and mates with any protocol . . . PF, ED 18, p. 134

Inverter circuit handles bidirectional signal flow without latching up . . . IFD, ED 24, p. 168

LSI family reduces size of high-speed systems . . . NEWS, ED 10, p. 28

LSI reference voltage source is introduced . . . NEWS, ED 21, p. 19

Latent fingerprints matched to databank . . . NEWS, ED 8, p. 20

Level-6 mini family announced by Honeywell . . . NEWS, ED 4, p. 38

Line drivers made from 555 timers provide inverted or noninverted outputs . . . IFD, ED 2, p. 86

Logic analyzers: a new force in digital troubleshooting . . . NEWS, ED 3, p. 16

Mag tape systems plug into IEEE 488 bus . . . NEWS, ED 24, p. 21

Microcomputer needn't take many ICs . . . ART, ED 12, p. 126

Mini-assisted weather net planned by 1981 . . . NEWS, ED 5, p. 15

Mini features high density memory . . . NEWS, ED 20, p. 21

Mini manufacturer warns, 'Beware the microcomputer' . . . NEWS, ED 8, p. 31

Miniature open-frame supplies rival potted modules in size and price . . . PF, ED 9, p. 115

Minicomputer memories pushing for 32 k of memory—and more . . . NEWS, ED 1, p. 36

Minicomputer system to be the first OEM for IBM . . . NEWS, ED 26, p. 20

Minicomputer terminal is 'totally flexible' . . . NEWS, ED 5, p. 16

Minicomputer that thinks like a mainframe . . . NEWS, ED 25, p. 22

Minicomputers offer fast microprogramming . . . NEWS, ED 22, p. 26

Model your ROM with NAND gates . . . ART, ED 20, p. 88

Multiprocessor control systems . . . ART, ED 12, p. 132

Multiprocessor system claims to be 'fail safe' . . . NEWS, ED 1, p. 21

N-channel SC/MP-II doubles speed but cuts power by four times . . . PF, ED 26, p. 39

Patching a program into a ROM . . . ART, ED 18, p. 98

Plug a programmable calculator . . . ART, ED 6, p. 82

Power-down circuits allow three-state operation with some CMOS drivers . . . IFD, ED 15, p. 118

Program erasable PROMs on the board . . . ART, ED 12, p. 148

Programmable calculator announced for consumers . . . NEWS, ED 2, p. 21

Programmable logic arrays . . . ART, ED 15, p. 98

Programming bottlenecks limit widespread use, but the outlook is bright . . . SR, ED 12, p. 104

Progress in gigabit logic reported for super-fast switching uses . . . NEWS, ED 15, p. 34

Progress seen in CCD memories, bipolar RAMs and I^{2}L logic . . . SR, ED 18, p. 49

Remotely control a pocket calculator with a simple CMOS interface circuit . . . IFD, ED 23, p. 74

SC/MP-based kit can expand to complete system . . . PF, ED 12, p. 124

Should MOS RAMs be 'TTL-compatible' . . . ART, ED 12, p. 144

Simple circuit detects data edges . . . IFD, ED 22, p. 192

Simple circuit interfaces TTL to CMOS

with use of only a single 12-V supply . . . IFD, ED 25, p. 112

Software links a/d's to computers . . . ART, ED 1, p. 102

State diagrams for a 555 timer aid development of new applications . . . IFD, ED 17, p. 100

Switched digital-data network is dual mode . . . NEWS, ED 9, p. 15

Systems designers face bewildering array of hardware-software tools . . . SR, ED 10, p. 68

Telephone-oriented LSI finds tough going despite reported advances . . . NEWS, ED 7, p. 36

Thermal printhead plus μP equals greatly simplified circuitry . . . NEWS, ED 11, p. 32

They are becoming even less expensive as mini and micro prices plunge . . . SR, ED 12, p. 98

Time-sharing desk-top calculator accepts inputs while driving peripherals . . . PF, ED 3, p. 76

UV PROM doubles size and adds I/O ports . . . NEWS, ED 23, p. 15

Univac system employs distributed CPU complex . . . NEWS, ED 14, p. 18

Use defensive interfacing . . . ART, ED 13, p. 104

Video system has high program-store capacity . . . NEWS, ED 6, p. 19

Wang introduces a mini, drum plotter and printer . . . NEWS, ED 8, p. 19

Wang introduces family of CRT word processors . . . NEWS, ED 14, p. 18

16-k bit RAM has the same speed and lower dissipation/bit vs 4-k versions . . . PF, ED 7, p. 101

Consumer Electronics

Automotive charging regulator gives overvoltage and undervoltage warnings . . . IFD, ED 6, p. 104

Computer-on-a-wrist also tells time and date . . . NEWS, ED 1, p. 21

Consumer electronics show highlights television games . . . NEWS, ED 15, p. 21

Delay circuits keep headlights on when needed; turn them off if you forget . . . IFD, ED 18, p. 114

Digital devices abound at New York boat show . . . NEWS, ED 3, p. 26

Digital time-delay device greatly enhances living room acoustics . . . NEWS, ED 16, p. 30

Electronic linesman decides where the tennis ball bounces . . . NEWS, ED 9, p. 20

GM develops a/d circuit for auto applications . . . NEWS, ED 9, p. 15

Getting electricity to work for man . . . SR, ED 4, p. 78

Home TV to double as terminal, information and game center . . . NEWS, ED 2, p. 26

Improve conventional ignition systems with a transistor-assisted approach . . . IFD, ED 13, p. 118

'Intelligent' turntable contains μP and LED in playback assembly . . . NEWS, ED 16, p. 28

Microwave oven contains a calculator chip . . . NEWS, ED 17, p. 22

Personal computing—the next consumer boom . . . NEWS, ED 18, p. 22

Prompting calculator and $19.95 watch from TI . . . NEWS, ED 3, p. 13

Simple battery charger for gel cells detects full charge and switches to float . . . IFD, ED 15, p. 120

Switch to digital accelerates in radios, phones and satellites . . . SR, ED 26, p. 24

μC-controlled pinball machine diagnoses its own troubles . . . NEWS, ED 23, p. 22

30-second diagnostic test developed for cars . . . NEWS, ED 8, p. 20

1977 automobile to conserve fuel with a μP-based ignition system . . . NEWS, ED 19, p. 53

Displays & Electro-Optics

Bar-graph display driver contains all necessary circuitry . . . PF, ED 9, p. 113

Cathodochromic CRT stores image indefinitely, erases easily . . . NEWS, ED 2, p. 30

Color LEDs gain in brightness, reliability . . . NEWS, ED 9, p. 16

Color-TV picture tube is better and cheaper . . . NEWS, ED 7, p. 22

Corning introduces 200-MHz optical cable . . . NEWS, ED 18, p. 22

Device emits all colors with applied voltage . . . NEWS, ED 24, p. 22

Display-blanking circuit saves power, improves readability . . . IFD, ED 22, p. 188

Display letters and symbols on a 7-segment numerical display . . . IFD, ED 25, p. 108

Enhance LED visibility . . . ART, ED 17, p. 62

Ensure uniform LED-display brightness with these simple design tips . . . IFD, ED 17, p. 96

First flight tests planned of full fiber-optic interface . . . NEWS, ED 2, p. 34

Flexible CRT terminals have many data handling features . . . PF, ED 19, p. 152

FOCUS on photodetectors . . . SR, ED 6, p. 60

Graphic display to compete with costly refresh systems . . . NEWS, ED 10, p. 27

Holographic ROM stores 200 Mb on microfiche . . . NEWS, ED 19, p. 22

Pace of new laser developments quickens both in and out of the lab . . . NEWS, ED 21, p. 24

Pay attention to LED temperatures . . . ART, ED 9, p. 74

Photodiode and control IC come in transparent DIP . . . PF, ED 12, p. 176

Photodiode preamp available in small packages . . . NEWS, ED 21, p. 30

Photoresistor provides automatic dimming of electronic display systems . . . IFD, ED 11, p. 98

Portable color TV camera's size, power drain halved . . . NEWS, ED 6, p. 34

Promising optical fibers developed by Corning . . . NEWS, ED 20, p. 22

Prototype optical telephone link being tested by Bell Laboratories . . . NEWS, ED 18, p. 32

Speech/hearing aid uses infrared light transmitter . . . NEWS, ED 18, p. 34

Stabilize optical-sensing systems . . . ART, ED 26, p. 72

Telephone and data transmission via fiber optics is being pushed . . . SR, ED 8, p. 42

Where is Natalia Marakova's tutu? It was there a minute ago . . . NEWS, ED 16, p. 32

Whether the input is analog or digital, in displays the CRT is still No. 1 . . . NEWS, ED 17, p. 26

Your own message is screened onto this gas-discharge display unit . . . PF, ED 5, p. 86

General Industry

Antenna tracks a key to learning star formation . . . NEWS, ED 22, p. 26

Biggest Wescon show since 1970 is expected . . . NEWS, ED 15, p. 22

Cheap sun power by '85 is Government's aim . . . NEWS, ED 2, p. 21

Compressing the world of electronics . . . SR, ED 4, p. 118

Deluge of LSI circuits may cause log-jams in systems designs . . . NEWS, ED 1, p. 26

Jay Forrester: A computer pioneer predicts society's future . . . SR, ED 12, p. 112

Fuel-cell power plant to generate 27 MW . . . NEWS, ED 19, p. 21

Largest solar-energy plant to be built . . . NEWS, ED 8, p. 20

Pentagon C^3 investment will rise by FY1982 . . . NEWS, ED 22, p. 25

Photovoltaic applications studied by NASA and ERDA . . . NEWS, ED 16, p. 21

Reduce circuit manufacturing costs . . . ART, ED 15, p. 104

Sun, water combination seen as energy source . . . NEWS, ED 11, p. 22

Taking the crucial step for modern technology . . . SR, ED 4, p. 98

Understanding that nature obeys rules, too . . . SR, ED 4, p. 66

Industrial Electronics

Acoustical die monitor will warn of faults . . . NEWS, ED 18, p. 21

Analog servo system puts live actors in mini sets . . . NEWS, ED 11, p. 30

Circuit converts voltages to 4-20 mA for industrial current-control loops . . . IFD, ED 1, p. 116

ANNUAL INDEX

Computerized system to unsnarl Rio's traffic...NEWS, ED 1, p. 22

Computers are everywhere—in cars, trucks, trains and even taxi meters ...SR, ED 22, p. 66

Efficient switching controller drives low-power dc servo motor...IFD, ED 10, p. 110

Electronic fingerprints compete with ID cards for access control... NEWS, ED 19, p. 30

FOCUS on high voltage power supplies ...SR, ED 13, p. 68

In all areas, the hardware is becoming ever more intelligent...SR, ED 22, p. 60

Nontracking solar concentrator developed...NEWS, ED 9, p. 16

Party-line intercom system needs only three wires...IFD, ED 16, p. 76

Quartz xtal oscillator charts urban pollutants...NEWS, ED 12, p. 45

Small dictation machine has electronic controls...NEWS, ED 13, p. 24

Smart industrial robot sees whatever it's supposed to do...NEWS, ED 26, p. 30

Time-shared network will aid research on nuclear fusion...NEWS, ED 13, p. 23

Wanted: a robot that thinks for itself ...SR, ED 12, p. 67

27 geophones protect miners from rock bursts...NEWS, ED 18, p. 21

Management

Al Cookson of ITT Speaks On Boosting R&D Output...ART, ED 25, p. 100

Bern Dibner of Burndy Speaks on Our Technological Heritage...SR, ED 4, p. 130

Teitaro Hiraga of TDK Speaks On Creating the Creative Atmosphere... ART, ED 9, p. 80

Orion Hoch of AMS Speaks On Making Your Engineers Responsible...ART, ED 21, p. 72

Grace Hopper: 'It's rewarding trying to do things in a new way'...SR, ED 22, p. 82

Taro Kuninobu of Matsushita Speaks On Managing by the Managed... ART, ED 11, p. 88

Floyd Kvamme of National Semiconductor Speaks on Stimulating Your Engineers...ART, ED 19, p. 114

Tadashi Nakamura of ISE Electronics Speaks On Developing Your Engineers...ART, ED 6, p. 96

Ulrich Rohde of Rohde & Schwarz Speaks On European and American Engineers...SR, ED 24, p. 96

Isao Someya of Nippon Electric Speaks On Educating Engineers...ART, ED 16, p. 72

Nick Tagaris of Datel Speaks On How to Get The Most Out of A Small Engineering Force...SR, ED 12, p. 152

Howard Vollum, Bill Peek and Wim Velsink of Tektronix Speak on The Future of the Scope...SR, ED 24, p. 68

Shozo Yokogawa of Yokogawa Electric Speaks on Interfacing Engineers with others...ART, ED 1, p. 110

Materials & Packaging

Compare electrical insulators...ART, ED 11, p. 72

Conductive elastomers...ART, ED 23, p. 60

Conversion efficiency up for CdS-CuS solar cell...NEWS, ED 23, p. 15

Edge-board connector protection is discussed...NEWS, ED 6, p. 20

High voltage encapsulant triples voltage ratings...NEWS, ED 10, p. 28

FOCUS on adhesives and coatings... SR, ED 23, p. 40

Insulate with plastics and elastomers ...ART, ED 13, p. 86

Keep modular supplies going...ART, ED 13, p. 78

Laser rods better than neodymium YAG...NEWS, ED 23, p. 16

Listen to the sound: the part is corroding...NEWS, ED 7, p. 21

Plastic-blade stripper handles multiwire cables...PF, ED 7, p. 104

Prototype CRT enclosures use plastic for low cost...PF, ED 25, p. 144

Rf-tight enclosures...ART, ED 6, p. 90

Solderless interconnect system shown by Augat...NEWS, ED 26, p. 19

Technique controls atomic layers of crystal...NEWS, ED 21, p. 20

Thin films raise solar collector efficiency...NEWS, ED 10, p. 27

Medical Electronics

Acoustic holography gets sharper pictures of organs in human body... NEWS, ED 13, p. 38

Computerized X-ray systems provide 3-D view of whole body...NEWS, ED 11, p. 26

Everest climbers to carry medical data sensors...NEWS, ED 15, p. 22

Heart-beat monitoring circuit provides steady output and a missed-beat alarm...IFD, ED 26, p. 82

High accuracy scale measures bodyweight...NEWS, ED 12, p. 46

Measure pulse-rate ratios...ART, ED 24, p. 136

Pocket calculator can provide biorhythm data...NEWS, ED 3, p. 13

Two systems under study to peer inside arteries...NEWS, ED 4, p. 37

Microprocessors

Action is in interfacing and testing μPs and microprocessor systems ...SR, ED 18, p. 54

Base your IC tester on a μP...ART, ED 1, p. 88

Benchmark testing of μPs is still popular despite its limitations...SR, ED 12, p. 92

Bipolar bit-slice μPs shrink the size and cost of minis and controllers ...NEWS, ED 10, p. 34

Boost μP bit-manipulation capability ...ART, ED 5, p. 56

Bring up your μP...ART, ED 15, p. 80

Build a compact microcomputer... ART, ED 10, p. 84

Built a glitchless microprocessor clock with only a two-chip divider...IFD, ED 6, p. 102

CMOS microprocessor for temperature and noise immunity...NEWS, ED 15, p. 53

Consider the 6100 CMOS microprocessor...ART, ED 23, p. 50

Control logic for μP enables single-cycle operation...IFD, ED 21, p. 78

Control the data rate of a μP system with software instructions...IFD, ED 24, p. 172

Convert all your synchro channels... ART, ED 25, p. 78

Current crop of 8-bit μPs draws ire of a system designer...NEWS, ED 9, p. 39

Custom LSI or μPs? That is often the question...NEWS, ED 15, p. 26

Design a μP analyzer...ART, ED 18, p. 82

Digital controls and μPs to infiltrate all areas of consumer electronics ...NEWS, ED 1, p. 38

Displays don't trouble 8-bit μPs... ART, ED 7, p. 68

Dual μPs simplify interactive terminal operation...NEWS, ED 26, p. 40

ECL bit-slice processor arrives, setting top speed for bipolar μPs...PF, ED 10, p. 53

Enhanced 8080 cuts component count while new support circuits add flexibility...PF, ED 25, p. 53

FOCUS on microprocessors...SR, ED 7, p. 58

Fortran compiler offered for μP design system...NEWS, ED 20, p. 21

From data to process systems, μPs are reshaping designs...NEWS, ED 1, p. 42

Getting to know the Cosmac...ART, ED 22, p. 136

High-level languages, more throughput expected for next generation of μPs ...NEWS, ED 12, p. 117

Incorporate a calculator chip...ART, ED 1, p. 96

Instrument analyzes μP systems in both data and time domains... PF, ED 20, p. 51

Introduction to microprocessors... ART, ED 9, p. 59

Just getting into microprocessors? Odds are you'll end up with a kit ...NEWS, ED 1, p. 46

Keep the PACE up and running... ART, ED 25, p. 64

Lack of standards slows progress of analog interfacing for μP systems ...NEWS, ED 7, p. 30

ANNUAL INDEX

Let a μP cut test time...ART, ED 22, p. 156

Limited role seen for μP in programmable controllers...NEWS, ED 5, p. 15

Log data under μP control...ART, ED 10, p. 94

Logic analyzer zeros in on μP-based systems...PF, ED 18, p. 131

Low-cost design aids keep pace with growing microprocessor field... NEWS, ED 25, p. 30

Microprocessor analyzer enhances operator interaction with development systems...PF, ED 17, p. 51

Microprocessor analyzer rearranges captured data into unusual displays ...PF, ED 17, p. 129

Microprocessor analyzer untangles knots in both software and hardware...PF, ED 14, p. 75

Microprocessors continue to improve instruments and testing concepts ...SR, ED 10, p. 71

Micros help automate weather sensing for U.S. Air Force...NEWS, ED 18, p. 35

PLAs or μPs? At times they compete, and at other times they cooperate ...NEWS, ED 18, p. 24

Pedal exerciser with built-in μP quickly reveals your fitness level... NEWS, ED 17, p. 38

Performance of military systems monitored by μPs...NEWS, ED 18, p. 21

Popular μP bit slice has an even better twin...NEWS, ED 26, p. 19

Put microprocessor software to work ...ART, ED 16, p. 58

Put together a complete microcomputer...ART ED 15, p. 66

R/d converter handles 8 channels under μP control...PF, ED 12, p. 172

Second generation CMOS microprocessors rival performance of n or p-channel units...NEWS, ED 6, p. 47

Second generation microcomputer takes on multiprocessing applications... PF, ED 18, p. 63

Separate I/O instructions for μPs will disappear in future systems...ART, ED 23, p. 35

Simplified 16-bit microprocessor is easier to use...PF, ED 21, p. 42

Simultaneous analog outputs...ART, ED 15, p. 88

Starting μP software...ART, ED 25, p. 74

Thanks to μPs, the trend is to lower cost and improved performance... SR, ED 22, p. 52

There is still a lot of guesswork attached to microprocessor testing... NEWS, ED 22, p. 115

Three microprocessors can be better than one...NEWS, ED 22, p. 25

Three μPs share memory and drive machine tools...NEWS, ED 15, p. 21

Unite μP hardware and software... ART, ED 7, p. 74

Use TTY or CRT interchangeably on μP system...IFD, ED 24, p. 174

μC board sizes will be standardized, provided that customers demand it ...NEWS, ED 16, p. 43

μP-based desk-top computers compete with minis and graphic terminals... NEWS, ED 5, p. 29

μP computers keep bowling scores and analyze weather patterns...SR, ED 12, p. 62

μP development systems need more power to speed up software debugging...NEWS, ED 21, p. 41

μP improves accuracy of data-tablet digitizer...NEWS, ED 16, p. 44

μP in radio scanner finds 12,000 frequencies...NEWS, ED 13, p. 23

μPs in minicomputer systems...ART, ED 22, p. 148

16-bit microprocessors speed things up in high precision computing... ART, ED 14, p. 35

16-bit μPs increase in speed and density...NEWS, ED 6, p. 20

2650 microprocessor...ART, ED 18, p. 70

Military & Aerospace

Air Force forms library of software abstracts...NEWS, ED 10, p. 28

Air Force looks at LCs for cockpit display...NEWS, ED 3, p. 14

Approaching the age of space exploration...SR, ED 4, p. 108

Army computer system a super problem solver...NEWS, ED 24, p. 22

Army opens $40-million missile flight simulator...NEWS, ED 4, p. 22

B-1 has first radiation-hardened digital avionics...NEWS, ED 4, p. 37

Calculator-timer makes life easier for light-aircraft pilots...NEWS, ED 23, p. 24

F-16 radar system to contain high-level digital processing...NEWS, ED 11, p. 21

In avionics, distributed processing has become a way of life...SR, ED 22, p. 74

JEDEC package outlines are now available...NEWS, ED 24, p. 21

Marines test ground-unit concept before buying...NEWS, ED 15, p. 21

NASA tests solar cell for home and industry...NEWS, ED 10, p. 28

Navy builds compact MJ energy storage system...NEWS, ED 2, p. 22

Navy radar antenna does two jobs... NEWS, ED 13, p. 24

Old and new techniques guided Viking to Mars...NEWS, ED 17, p. 21

Pulse-compression antenna converts milliwatts to watts...NEWS, ED 14, p. 26

RPVs get millimeter-wave radar... NEWS, ED 15, p. 42

Round 1 goes to Control Data in airborne-computer competition... NEWS, ED 23, p. 26

Small weather radar is low in cost, and versatile...NEWS, ED 14, p. 21

Strap-down navigator is accurate and low in cost...NEWS, ED 9, p. 16

U.S. engineers take a second look at European radar and ECCM designs ...SR, ED 10, p. 78

Semiconductors

Across-the-board improvements made in a variety of power devices... SR, ED 10, p. 75

Bipolar technologies to compete with CMOS and ECL...NEWS, ED 5, p. 18

CCDs reach practical stage for analog signal processing...NEWS, ED 7, p. 34

Charge transfer technology used in sonic imager and signal correlator ...NEWS, ED 19, p. 22

Consider CCDs for a wide range of uses...ART, ED 6, p. 70

Electron-beam IC technology goes commercial in 1977...NEWS, ED 23, p. 20

Electron Devices Meeting to discuss VMOS progress...NEWS, ED 21, p. 19

Eliminate static damage to circuits... ART, ED 7, p. 80

FETs to switch high currents...ART, ED 9, p. 66

Major solar-cell programs strive to lower cost, improve efficiency... NEWS, ED 6, p. 24

MOS technology continues to replace bipolar devices in most areas... SR, ED 12, p. 78

Pick the right p-i-n diode...ART, ED 17, p. 82

Semis invade medical transducers; μPs monitor EKG and blood pressure...NEWS, ED 19, p. 28

Superconducting diode mixer gives paramp noise figure...NEWS, ED 15, p. 42

Test diodes for recovered charge... ART, ED 5, p. 50

Turn-off gains of 1000 possible with GTO SCRs...PF, ED 5, p. 80

10 & 15-A transistors switch fast and have high gain...PF, ED 7, p. 112

12-bit MDAC boasts MIL rating in 18-pin DIP...PF, ED 12, p. 174

150-V Schottky power diodes developed at GE...NEWS, ED 8, p. 19

Test & Measuring

Ac source regulates output as both line and load change...PF, ED 10, p. 160

AM detector deflutters analog-signal tape outputs with only three IC packages...IFD, ED 22, p. 186

Angle-position indicator shrinks in size but not performance...PF, ED 18, p. 126

Battery monitor operates on only a few microamperes...IFD, ED 22, p. 188

Brainy instruments take top honors with computer power that boggles the mind...SR, ED 24, p. 52

Build a simple fire alarm with metal-oxide temperature sensors...IFD, ED 9, p. 88

Build precision reference sources...ART, ED 14, p. 56

Burn-in system tickles ICs with programmable patterns...PF, ED 12, p. 180

Calibration devices are better because the basic standards are more precise...SR, ED 24, p. 104

Chopper amplifier for thermocouples has long-term drift of only 0.5 μV/yr...IFD, ED 16, p. 78

Combined instrument often provides capabilities that exceed the sum of its parts...SR, ED 24, p. 88

Compact high-voltage supply stands tall in performance...PF, ED 16, p. 100

Compact 12-bit s/d converter cuts size, weight by 50%...PF, ED 24, p. 209

Companding d/a converters give 72-dB dynamic range with 8-bit inputs...PF, ED 9, p. 111

Consider v/f converters...ART, ED 24, p. 160

Control a switching power supply with a single LSI circuit...PF, ED 13, p. 125

Cut size, weight and cost with hybrid s/d converters...PF, ED 19, p. 140

DPM building blocks make 93 different instruments...PF, ED 24, p. 183

Data-acquisition modules keep costs low and performance high...PF, ED 6, p. 134

Digital probe shows voltage, duty cycle and signal quality...IFD, ED 2, p. 84

Diodes act as a temperature sensor in remote temperature-measuring circuit...IFD, ED 26, p. 81

Display formatter brings new power to logic troubleshooting...PF, ED 18, p. 121

Divide frequencies by nonintegers...ART, ED 18, p. 104

Don't sweat with thermocouple thermometers...ART, ED 24, p. 146

Electron-beam pictures reveal hidden defects in LSI chips...NEWS, ED 14, p. 20

Fastest pulse generator blazes at 1-GHz rep rate...PF, ED 15, p. 161

FOCUS on digital voltmeters...SR, ED 20, p. 62

FOCUS on IC testers...SR, ED 9, p. 48



Reliability
Dependability
Quality

Servo-Tek's reputation for superiority in the control and measurement field is based on our ability to produce products of matchless reliability, dependability and quality at truly economical prices. We are known for our efficient, modern production methods and innovative engineering programs.

Our complete line of instrument-type dc generators, dc servomotors, adjustable-speed drives, Bi-Mode servos, analog and digital speed indicating systems, control meter relays and low ripple generators are produced under rigid quality control.

Our repeat list of customers, the nation's top industrial and commercial manufacturers, know they can rely on Servo-Tek's RDQ.



FREE CATALOG of rotating components available.

SERVO-TEK
PRODUCTS COMPANY

1086 Goffle Road
Hawthorne, NJ 07506
201—427-3100

Servo-Tek of California, Inc.
8155 Van Nuys Boulevard
Van Nuys, CA 91402
213—786-0690

SERVO-TEK
ALL AMERICAN ENGINEERED

CIRCLE NUMBER 66

ANNUAL INDEX

FOCUS on network analyzers...SR, ED 16, p. 50

Function generator plays dual role as fast amplifier...PF, ED 18, p. 125

Handle 100-V analog signals with 10-V ICs by using a divide/multiply technique...IFD, ED 19, p. 122

Head off dc/dc-converter problems... ART, ED 17, p. 72

Hybrid isolation amplifier avoids transformers but maintains isolation... PF, ED 2, p. 91

IC tester offers 1000 programs by phone...NEWS, ED 11, p. 22

Improved Schottky diode tests for ozone...NEWS, ED 7, p. 22

Inductosyn/digital converter modules offer top resolution...PF, ED 16, p. 85

Instruments designed with safety in mind may be hazardous to your health...SR, ED 24, p. 114

I^2L design cuts down DPM's component count...NEWS, ED 22, p. 26

Keep your power flowing...ART, ED 5, p. 62

Lab power supply adjusts itself for constant power...PF, ED 15, p. 144

Logarithmic amplifier's range is extended down to 1 pA...IFD, ED 14, p. 66

Logic probe built from IC timer is compatible with TTL, HTL and CMOS ...IFD, ED 12, p. 156

Low-cost DPM carries impressive spec sheet...PF, ED 5, p. 76

Low-cost data-acquisition systems... ART, ED 24, p. 152

Measure signal peaks accurately... ART, ED 17, p. 90

Measure small capacitance at the end of a long cable...IFD, ED 4, p. 170

Measure the characteristic impedance ...ART, ED 24, p. 136

Measuring capacitor loss...ART, ED 24, p. 130

Midget d/a delivers 18-bit performance...NEWS, ED 25, p. 22

Mum's the word for electrothermal relay...NEWS, ED 22, p. 26

Ocean seismic device smaller, uses less power...NEWS, ED 17, p. 22

Opto-isolator in fuse monitor keeps indicators at ground potential... IFD, ED 12, p. 158

Portable instruments: The specs are fine, but their batteries are still short-lived...SR, ED 24, p. 60

Power-supply voltage changed 2:1 with SPDT switch arrangement...IFD, ED 4, p. 174

Precise voltage division without precision parts...IFD, ED 21, p. 80

Precision instrumentation amplifier built with general-purpose op amps ...IFD, ED 3, p. 72

Precision voltage-to-frequency converter uses only single supply voltage ...IFD, ED 21, p. 82

Pressure transducer to sell for less than $20...NEWS, ED 5, p. 16

RCA introduces biMOS op amp to replace 741...NEWS, ED 12, p. 45

Rf and microwave test equipment getting more automatic and smarter ...SR, ED 8, p. 64

Sampling head measures electro-optic pulses...NEWS, ED 16, p. 22

Say goodbye to 'traditional' as instruments change in 3 ways...NEWS, ED 1, p. 32

Scope built in FM tuner monitors quality of audio and rf reception... NEWS, ED 16, p. 26

Scope combines fast storage and real-time operation...PF, ED 23, p. 79

Shutterbugs bait 'Nessie' in search for fabled monster...NEWS, ED 14, p. 17

Simple transistor circuits speed power-supply testing...IFD, ED 3, p. 75

Smart DVM stays on the job while its plug-in reference is calibrated... PF, ED 17, p. 105

Spectrometer system uses a minicomputer...NEWS, ED 3, p. 14

Speed up your linear circuits...ART, ED 25, p. 92

Standard clears up DMM/DVM accuracy specs...NEWS, ED 20, p. 21

Telemetry link to home will control power loads...NEWS, ED 1, p. 22

Temperature-measuring bridge uses constant-current FET circuits...IFD, ED 20, p. 98

Test modules with LEDs check out PC connects...NEWS, ED 8, p. 19

Three-digit DVM chip requires only 30 mW...PF, ED 10, p. 132

Timer chip becomes meter that detects capacitance changes of 1 part in 10^6...IFD, ED 5, p. 70

Transient testing is spreading to systems designers...NEWS, ED 10, p. 42

Ultrasonics shows flaws in solids in 3-D...NEWS, ED 23, p. 16

Uninterruptible power supply delivers five output voltages...PF, ED 9, p. 117

Unusual heterodyne system capable of detecting huge Doppler shifts... NEWS, ED 9, p. 24

Versatile analog multiplier/divider built with three standard ICs...IFD, ED 1, p. 118

Voltage-controlled oscillator provides symmetrical triangular and square waveforms...IFD, ED 24, p. 170

Voltage-to-current converter built with few components...IFD, ED 15, p. 116

Wideband rms-to-dc module has high accuracy, low cost...PF, ED 13, p. 148

μW generator produces most power pulses...NEWS, ED 14, p. 17

40-MHz function generator grabs top-frequency honors...PF, ED 5, p. 75

50-MHz portable oscilloscope lets you compare four signals...PF, ED 6, p. 111

Reader Service Index

The Cannon Microminiature Connectors

If the insert to the right has been removed circle **Reader Service Card No. 101** and one will be sent to you.

For complete information on Cannon® microminiature connectors and interconnect systems please circle **Reader Service Card No. 103.**

ITT Cannon Electric, 666 East Dyer Rd., Santa Ana, Ca. 92702. Toll-free 24-hrs. (800) 854-3573; In California, (800) 432-7063. (And be sure to check EEM for all your Cannon connector needs.)

Six decades on the leading edge of interconnect technology

CANNON ITT